

# Kyros elixir

800 x 1600 MM Glazed Vitrified Tile





## Kyros Ceramics: Blending Legacy with Innovation in the Heart of India's Ceramic Hub

Kyros Ceramics Pvt Ltd, a dynamic newcomer to the ceramic industry, is poised to make a significant impact with its commitment to quality, sustainability, and customer-centric solutions. Kyros Ceramics is built on a foundation of unparalleled experience and a vision for creating spaces that inspire and endure.

The foundation of Kyros Ceramics lies in the vision of its promoters, pioneers who were among the first to establish a ceramic business in Morbi, Gujarat, the heart of India's ceramic industry, back in 1986, an experience of more than 5 decades in the tile industry. Their deep understanding of the market, coupled with invaluable experience gained from senior management roles at corporate giants like Asian Paints limited, Kansai Nerolac Paints limited & Prism Johnson Limited, brings a wealth of sales and marketing expertise to the forefront. This blend of entrepreneurial spirit and corporate acumen allows Kyros Ceramics to perfect the art of creating exceptional ceramic solutions that seamlessly blend functionality with stunning design. By investing in Kyros Ceramics, stakeholders are benefiting from over half a century of tile-making excellence.

Kyros Ceramics specializes in a wide variety of products to cater to diverse needs, including high-quality tiles, advanced adhesive solutions, durable grouts, and stylish bath ware. This extensive product line ensures the company can meet the demands of both residential and commercial projects, providing tailored solutions for every specific requirement. With a strong legacy rooted in the art of tile-making, the company invites customers to explore its extensive product range and experience firsthand how Kyros Ceramics can help them achieve their design and construction goals.

### A Comprehensive Product Portfolio:

Kyros Ceramics specializes in an array of high-quality ceramic products designed to meet diverse aesthetic preferences and functional requirements, including:

- **Tiles:** A diverse selection catering to various styles and applications.
- **Adhesive Solutions:** Advanced products engineered for optimal performance and long-lasting durability in tile installation.
- **Grouts:** Durable options that ensure longevity and enhance the aesthetic appeal of both residential and commercial projects.
- **Bath Ware:** Stylish and functional solutions designed to elevate the beauty and utility of bathroom spaces.

### A Commitment to Quality, Sustainability, and Customer Satisfaction:

Kyros Ceramics is built on a strong foundation of core values. The company is dedicated to upholding the highest standards of quality across its product line, ensuring performance and durability. Recognizing the importance of environmental responsibility, Kyros Ceramics is committed to incorporating sustainable practices throughout its entire supply chain, from sourcing to delivering finished products.

### Grounded in Core Values

Kyros Ceramics' success is built on a foundation of core values:

1. **Customer-Centric Approach:** Placing customers at the heart of everything, striving to understand and meet their unique needs.
2. **Integrity:** Upholding the highest standards of integrity in business practices, ensuring transparency and trust with stakeholders.
3. **Innovation:** Embracing change and integrating the latest technologies and trends into product offerings.
4. **Sustainability:** Promoting eco-friendly practices that contribute to a sustainable future for the industry and the planet.

Kyros Ceramics Pvt Ltd is more than just a supplier; it is a dedicated partner committed to helping customers achieve their design and construction goals. With a legacy of experience, a unwavering commitment to quality, and a forward-thinking vision for innovation and sustainability, Kyros Ceramics invites you to explore its extensive range of products and discover how they can transform your spaces.

### Join the Kyros Ceramics Movement:

Explore the world of Kyros Ceramics and discover how the company can help bring your vision for beautiful and functional spaces to life. Whether you're embarking on a residential renovation or a large-scale commercial project, Kyros Ceramics is equipped to provide the expertise and products you need to achieve your goals.

### Contact Information:

For inquiries, collaborations, or to learn more about the product range, please contact:

Kyros Ceramics Pvt Ltd

8-A, National Highway, Bandhunagar, Near Makansar, Morbi, Gujarat 363641

<https://www.kyrosceramics.com>

**Together, let's create spaces that inspire and endure with Kyros Ceramics**





## Unleash Your Inner Designer with Kyros Ceramics' New Elixir Tile Collection

Kyros Ceramics is exhilarated to introduce Elixir, a groundbreaking tile collection designed to revolutionize your approach to interior design. These aren't just tiles; they are expansive canvases waiting to be transformed into reflections of your unique style and personality. With their impressive 800 x 1600 mm dimensions, Elixir tiles offer a grand scale, perfect for making a bold statement in any space, from cozy living rooms to expansive commercial areas.

What truly sets Elixir apart is its dedication to versatility. Kyros Ceramics understands that personal taste is diverse, which is why the Elixir collection boasts an extensive range of stunning finishes. Whether you crave the dazzling brilliance of a **Glossy** surface, the understated elegance of a **Matt** finish, the intricate detail of **Carving**, the boundless visual appeal of **Endless**, the robust practicality of **Hard matt**, or the unparalleled shine of **High glossy**, Elixir has a finish to perfectly complement your vision.

Manufactured & sourced from Morbi, Gujarat, the ceramic heartland of India, Elixir tiles are a testament to superior quality and innovative design. Kyros Ceramics utilizes a state-of-the-art facility to ensure that each tile is crafted with precision and care, resulting in a product that is not only visually stunning but also durable and long-lasting. The company's commitment to excellence is evident in every detail, ensuring that Elixir tiles will upscale you're living or working environment for years to come.

More than just a flooring or wall covering solution, Elixir is a tool for self-expression. It empowers you to curate spaces that resonate with your individual style, creating environments that are not only aesthetically pleasing but also profoundly inspiring. Whether you're aiming for a modern minimalist look, a classic and sophisticated ambiance, or a bold and eclectic design, Elixir provides the foundation you need to bring your creative vision to life.

**Choose Elixir from Kyros Ceramics and transform your space into a masterpiece. It's more than just tiling; it's an opportunity to express yourself and create a space that truly inspires.**






## HG-1001

Dimension :  
**800X1600MM**

Surface  
**HIGH GLOSS**

Random  
**04**

Thickness  
**9 MM**










## HG-1002

Dimension :  
**800X1600MM**

Surface  
**HIGH GLOSS**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








## HG-1003

Dimension :  
**800X1600MM**

Surface  
**HIGH GLOSS**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








*HG-1004*

Dimension :  
**800X1600MM**

Surface  
**HIGH GLOSS**

Random  
**05**

Thickness  
**9 MM**










*HG-1005*

Dimension :  
**800X1600MM**

Surface  
**HIGH GLOSS**

Random  
**05**

Thickness  
**9 MM**










*HG-1006*

Dimension :  
**800X1600MM**

Surface  
**HIGH GLOSS**

Random  
**04**

Thickness  
**9 MM**










## HG-1007

Dimension :  
**800X1600MM**

Surface  
**HIGH GLOSS**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








## HG-1008

Dimension :  
**800X1600MM**

Surface  
**HIGH GLOSS**

Random  
**03**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








*HG-1009*

Dimension :  
**800X1600MM**

Surface  
**HIGH GLOSS**

Random  
**04**

Thickness  
**9 MM**










## HG-1010

Dimension :  
**800X1600MM**

Surface  
**HIGH GLOSS**

Random  
**04**

Thickness  
**9 MM**









## CR-2001

Dimension :  
**800X1600MM**

Surface  
**CARVING**

Random  
**02**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE







## CR-2002

Dimension :  
**800X1600MM**

Surface  
**CARVING**

Random  
**01**

Thickness  
**9 MM**









## CR-2003

Dimension :  
**800X1600MM**

Surface  
**CARVING**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








## CR-2004

Dimension :  
**800X1600MM**

Surface  
**CARVING**

Random  
**03**

Thickness  
**9 MM**









## CR-2005

Dimension :  
**800X1600MM**

Surface  
**CARVING**

Random  
**04**

Thickness  
**9 MM**









## CR-2006

Dimension :  
**800X1600MM**

Surface  
**CARVING**

Random  
**04**

Thickness  
**9 MM**









## CR-2007

Dimension :  
**800X1600MM**

Surface  
**CARVING**

Random  
**04**

Thickness  
**9 MM**









## CR-2008

Dimension :  
**800X1600MM**

Surface  
**CARVING**

Random  
**04**

Thickness  
**9 MM**










## CR-2009

Dimension :  
**800X1600MM**

Surface  
**CARVING**

Random  
**04**

Thickness  
**9 MM**









## EL-3001

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









## EL-3002

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










## EL-3003

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









## EL-3004

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*EL-3005*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










*EL-3006*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










*EL-3007*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










## EL-3008

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










*EL-3009*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*EL-3010*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*EL-3011*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*GL-4001*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE







*GL-4002*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE





Look

ART II  
ALEXEY BRODOVITCH




*GL-4003*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*GL-4004*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










*GL-4005*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










*GL-4006*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*GL-4007*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**03**

Thickness  
**9 MM**










*GL-4008*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**03**

Thickness  
**9 MM**










*GL-4009*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**03**

Thickness  
**9 MM**










*GL-4010*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*GL-4011*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**03**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








*GL-4012*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**03**

Thickness  
**9 MM**










*GL-4013*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE







*GL-4014*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








## GL-4015

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*GL-4016*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










*GL-4017*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










*GL-4018*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*GL-4019*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**03**

Thickness  
**9 MM**










## GL-4020

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*GL-4021*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*GL-4022*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










*GL-4023*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**03**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








*GL-4024*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








*GL-4025*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








*GL-4026*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**









*GL-4027*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








*GL-4028*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE







*GL-4029*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










*GL-4030*

Dimension :  
**800X1600MM**

Surface  
**GLOSSY**

Random  
**04**

Thickness  
**9 MM**










*MT-5001*

Dimension :  
**800X1600MM**

Surface  
**MATT**

Random  
**04**

Thickness  
**9 MM**










## MT-5002

Dimension :  
**800X1600MM**

Surface  
**MATT**

Random  
**04**

Thickness  
**9 MM**










*MT-5003*

Dimension :  
**800X1600MM**

Surface  
**MATT**

Random  
**04**

Thickness  
**9 MM**










*MT-5004*

Dimension :  
**800X1600MM**

Surface  
**MATT**

Random  
**04**

Thickness  
**9 MM**










*MT-5005*

Dimension :  
**800X1600MM**

Surface  
**MATT**

Random  
**04**

Thickness  
**9 MM**










*MT-5006*

Dimension :  
**800X1600MM**

Surface  
**MATT**

Random  
**04**

Thickness  
**9 MM**









*MT-5007*

Dimension :  
**800X1600MM**

Surface  
**MATT**

Random  
**04**

Thickness  
**9 MM**










*MT-5008*

Dimension :  
**800X1600MM**

Surface  
**MATT**

Random  
**04**

Thickness  
**9 MM**









*MT-5009*

Dimension :  
**800X1600MM**

Surface  
**MATT**

Random  
**04**

Thickness  
**9 MM**










*MT-5010*

Dimension :  
**800X1600MM**

Surface  
**MATT**

Random  
**04**

Thickness  
**9 MM**









## HM-6001

Dimension :  
**800X1600MM**

Surface  
**DG MATT**

Random  
**04**

Thickness  
**9 MM**









## HM-6002

Dimension :  
**800X1600MM**

Surface  
**DG MATT**

Random  
**04**

Thickness  
**9 MM**









## HM-6003

Dimension :  
**800X1600MM**

Surface  
**DG MATT**

Random  
**04**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE







## HM-6004

Dimension :  
**800X1600MM**

Surface  
**DG MATT**

Random  
**02**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE







## HM-6005

Dimension :  
**800X1600MM**

Surface  
**DG MATT**

Random  
**04**

Thickness  
**9 MM**










## HM-6006

Dimension :  
**800X1600MM**

Surface  
**DG MATT**

Random  
**04**

Thickness  
**9 MM**










## HM-6007

Dimension :  
**800X1600MM**

Surface  
**DG MATT**

Random  
**03**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








*HM-6008*

Dimension :  
**800X1600MM**

Surface  
**DG MATT**

Random  
**06**

Thickness  
**9 MM**



ANTI SLIP  
SURFACE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



EASY  
MAINTENANCE



HIGH  
DURABILITY



WATER  
RESISTANCE








*HM-6009*

Dimension :  
**800X1600MM**

Surface  
**DG MATT**

Random  
**04**

Thickness  
**9 MM**










## HM-6010

Dimension :  
**800X1600MM**

Surface  
**DG MATT**

Random  
**04**

Thickness  
**9 MM**









## TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/EN14411 GROUP BIA	MEAN VALUE OF PGVT	MEAN VALUE OF GVT	TEST METHOD
REGULATORY PROPERTIES				
Deviation in length & width	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Deviation in thickness	±5.0 %	±4.0 %	±4.0 %	ISO-10545-2
Straightness in side	±0.5 %	±0.1 %	±0.1 %	ISO-10545-2
Rectangularity	±0.6 %	±0.1 %	±0.1 %	ISO-10545-2
Surface flatness	±0.5 %	±0.2 %	±0.2 %	ISO-10545-2
Color difference	Unaltered	No change	No change	ISO-10545-16
Glossiness	As per mfg.	Min. 90%	Min. 4%	GLOSSOMETER
SURFACE MECHANICAL PROPERTIES				
Water absorption	< 0.50 %	< 0.20 %	< 0.20 %	ISO-10545-3
Apparent density	> 2.0 g/cc	> 2.10 g/cc	> 2.10 g/cc	DIN 51082
MASSIVE MECHANICAL PROPERTIES				
Modulus of rupture	Min. 35 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	Min. 40 N/mm <sup>2</sup>	ISO-10545-4
Breaking strength	Min. 1300 N	Min. 2000 N	Min. 2000 N	ISO-10545-4
Impact resistance	As per mfg.	Min. 0.55	Min. 0.55	ISO-10545-5
SURFACE MECHANICAL PROPERTIES				
Surface abrasion resistance	As per mfg	Min. Class-3	Min. Class-4	ISO-10545-7
MOH's hardness	As per mfg	Min. 4	Min. 5	EN 101
THERMO HYDROMETRIC PROPERTIES				
Frost resistance	No damage	No damage	No damage	ISO-10545-12
Thermal shock resistance	No damage	No damage	No damage	ISO-10545-9
Moisture expansion	Nil	Nil	Nil	ISO-10545-10
Thermal expansion (COE)	Max. 9.0x10 <sup>-6</sup>	Max. 6.5x10 <sup>-6</sup>	Max. 6.5x10 <sup>-6</sup>	ISO-10545-8
Crazing resistance	As per mfg.	Min. 10 Cycle	Min. 10 Cycle	ISO-10545-11
CHEMICAL PROPERTIES				
Chemical resistance	No damage	No damage	No damage	ISO-10545-13
Stain resistance	Resistant	Resistant	Resistant	ISO-10545-14
SAFETY PROPERTIES				
Slip resistance	As per mfg.	> 0.40	> 0.40	ISO-10545-17
Fire resistance	As per mfg.	Fireproof	Fireproof	N. A.
Lead & Cadmium given off by glazed tiles	As per mfg.	Doesn't yield Pb & Cd	Doesn't yield Pb & Cd	ISO-10545-15

Packing Detail :	
SIZE	800X1600 MM
THICKNESS(APPROX)	9 MM
PCS/BOX	02 PCS
COVERAGE AREA	27.55 SQ FT / 2.56 SQ MTR
WEIGHT(APPROX)	51 KGS.





# elixir



**Kyros Ceramics**

TILES | ADHESIVE | GROUT | BATHWARE

**GLAZED VITRIFIED TILES | 800X1600MM**

Mktd. By:

**KYROS CERAMICS PVT LTD**

8-A, National Highway,  
Bandhunagar, Near Makansar,  
Morbi, gujarat-363641

+91 85111 19162

**Grandiose**

**CRAFT**

**spode**

**Diamond**

**PRIDE**

**TUFF**

**KuDoS**  
Kyros Decor Series

**Kyros GRASP**

**Kyros bath**

