



Kyros Ceramics: Blending Legacy with Innovation in the Heart of India's Ceramic Hub

Kyros Ceramics Pvt Ltd, a dynamic newcomer to the ceramic industry, is poised to make a significant impact with its commitment to quality, sustainability, and customer-centric solutions, Kyros Ceramics is built on a foundation of unparalleled experience and a vision for creating spaces that inspire and endure.

The foundation of Kyros Ceramics lies in the vision of its promoters, pioneers who were among the first to establish a ceramic business in Morbi, Gujarat, the heart of India's ceramic industry, back in 1986, an experience of more than 5 decades in the tile industry. Their deep understanding of the market, coupled with invaluable experience gained from senior management roles at corporate giants like Asian Paints limited, Kansai Nerolac Paints limited & Prism Johnson Limited, brings a wealth of sales and marketing expertise to the forefront. This blend of entrepreneurial spirit and corporate acumen allows Kyros Ceramics to perfect the art of creating exceptional ceramic solutions that seamlessly blend functionality with stunning design. By investing in Kyros Ceramics, stakeholders are benefiting from over half a century of tile-making excellence.

Kyros Ceramics specializes in a wide variety of products to cater to diverse needs, including high-quality tiles, advanced adhesive solutions, durable grouts, and stylish bath ware. This extensive product line ensures the company can meet the demands of both residential and commercial projects, providing tailored solutions for every specific requirement. With a strong legacy rooted in the art of tile-making, the company invites customers to explore its extensive product range and experience firsthand how Kyros Ceramics can help them achieve their design and construction goals.

A Comprehensive Product Portfolio:

Kyros Ceramics specializes in an array of high-quality ceramic products designed to meet diverse aesthetic preferences and functional requirements, including:

- Tiles: A diverse selection catering to various styles and applications.
- Adhesive Solutions: Advanced products engineered for optimal performance and long-lasting durability in tile installation.
- **Grouts:** Durable options that ensure longevity and enhance the aesthetic appeal of both residential and commercial projects.
- Bath Ware: Stylish and functional solutions designed to elevate the beauty and utility of bathroom spaces.

A Commitment to Quality, Sustainability, and Customer Satisfaction:

Kyros Ceramics is built on a strong foundation of core values. The company is dedicated to upholding the highest standards of quality across its product line, ensuring performance and durability. Recognizing the importance of environmental responsibility, Kyros Ceramics is committed to incorporating sustainable practices throughout its entire supply chain, from sourcing to delivering finished products.

Grounded in Core Values

Kyros Ceramics' success is built on a foundation of core values:

- 1. **Customer-Centric Approach:** Placing customers at the heart of everything, striving to understand and meet their unique needs.
- 2. **Integrity:** Upholding the highest standards of integrity in business practices, ensuring transparency and trust with stakeholders.
- 3. **Innovation:** Embracing change and integrating the latest technologies and trends into product offerings.
- 4. **Sustainability:** Promoting eco-friendly practices that contribute to a sustainable future for the industry and the planet.

Kyros Ceramics Pvt Ltd is more than just a supplier; it is a dedicated partner committed to helping customers achieve their design and construction goals. With a legacy of experience, a unwavering commitment to quality, and a forward-thinking vision for innovation and sustainability, Kyros Ceramics invites you to explore its extensive range of products and discover how they can transform your spaces.

Join the Kyros Ceramics Movement:

Explore the world of Kyros Ceramics and discover how the company can help bring your vision for beautiful and functional spaces to life. Whether you're embarking on a residential renovation or a large-scale commercial project, Kyros Ceramics is equipped to provide the expertise and products you need to achieve your goals.

Contact Information:

For inquiries, collaborations, or to learn more about the product range, please contact: Kyros Ceramics Pvt Ltd

8-A, National Highway, Bandhunagar, Near Makansar, Morbi, Gujarat 363641

https://www/kyrosceramcis.com

Together, let's create spaces that inspire and endure with Kyros Ceramics



Elevate Your Space with Kyros Ceramics' "Craft" Tile Collection

Kyros Ceramics is thrilled to introduce "Craft," a meticulously designed tile collection crafted to blend cost-effectiveness with stunning aesthetics. Perfectly sized at 600x1200mm, these tiles offer a versatile solution for transforming any living space, catering to a wide range of design preferences with a modern and trendy appeal.

"Craft" isn't just about affordability; it's about offering an unparalleled opportunity to upscale your living experience. The collection boasts a diverse array of finishes, allowing you to tailor your space to your exact vision. Choose from the sophisticated elegance of **matte**, the reflective brilliance of **glossy**, the intricate detail of **carving**, or an **endless** selection of captivating patterns.

The colour palette is equally extensive, spanning from deep, dark **matte** shades that exude modern sophistication to soft, **pastel glosses** and mattes that create a calming and inviting atmosphere. For those seeking a touch of luxury, explore our opulent **golden** collection, adding a regal flair to any room.

The "Craft" collection doesn't stop there. Discover decorative pieces that act as stunning focal points, realistic wooden finishes that bring the warmth of nature indoors, and dazzling high-gloss options that inject a touch of glamour. Whether you're renovating a bathroom, updating a kitchen, or transforming a living room, "Craft" offers the perfect tile to bring your design dreams to life.

Proudly sourced & manufactured in Morbi, Gujarat, the ceramic heart of India, Kyros Ceramics leverages state-of-the-art modern technology to ensure the highest standards of quality and durability. "Craft" embodies the perfect synergy of style and substance, delivering a tile collection that is both beautiful and built to last.

Key Features of the "Craft" Collection:

- Versatile 600x1200mm Size: Suitable for a variety of applications.
- Cost-Effective Design: Luxury aesthetic without breaking the bank.
- Diverse Finishes: Glossy, matte, carving, and endless patterns.
- Extensive Colour Palette: Deep dark mattes, soft pastels, and luxurious gold options.
- Specialty Options: Decorative pieces, realistic wood finishes, and high-gloss options.
- Manufactured in Morbi, India: Ensuring quality and craftsmanship with state-of-the-art technology.

Elevate your living experience today with Kyros Ceramics' "Craft" — where quality meets style and affordability reigns supreme. Explore the collection and discover the perfect tile to transform your space into a haven of beauty and comfort.





TILES | ADHESIVE | GROUT | BATHWARE







Random

04

Finish **GLOSSY**

Size












Random

04

Finish

GLOSSY

Size











Random

04

Finish

GLOSSY

Size










Random

03

Finish

GLOSSY

Size









Random

04

Finish

GLOSSY

Size












Random

04

Finish

GLOSSY

Size









Random

03

Finish

GLOSSY

Size









Random **03**

Finish

GLOSSY

Size











Random **03**

Finish **GLOSSY**

Size **600X1200MM**











Random **03**

Finish

GLOSSY

Size









Random

04

Finish

GLOSSY

Size










Random

04

Finish

GLOSSY

Size











Random

04

Finish

GLOSSY

Size









Random

04

Finish

GLOSSY

Size









Random

04

Finish

GLOSSY

Size









Random

06

Finish

GLOSSY

Size









Random

06

Finish

GLOSSY

Size










Random

04

Finish

GLOSSY

Size









Random

04

Finish

GLOSSY

Size










Random


04

Finish

GLOSSY

Size











Random

04

Finish

GLOSSY

Size










Random

04

Finish

GLOSSY

Size









Random

04

Finish

GLOSSY

Size










Random

04

Finish

GLOSSY

Size











GLO - 3025


Random


04

Finish

GLOSSY

Size











MCL- 3201


Random

04

Finish

GLOSSY

Size











MCL-3202

Random

04

Finish

GLOSSY

Size









MCL-3203


Random

04


Finish

GLOSSY

Size











Random

04

Finish

ENDLESS GLOSSY

Size










Random

04

Finish

ENDLESS GLOSSY

Size










Random

04

Finish

ENDLESS GLOSSY

Size











Random

04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size










Random

04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size











Random

04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size










Random

04

Finish

ENDLESS GLOSSY

Size









Random


04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size









Random


04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size









Random


04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size









Random **03**

Finish

ENDLESS GLOSSY

Size











Random

04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size









Random

04

Finish

ENDLESS GLOSSY

Size











Random **03**

Finish

ENDLESS GLOSSY

Size









ELG_3127

Random

04

Finish

ENDLESS GLOSSY

Size











ELG_3128

Random

04

Finish

ENDLESS GLOSSY

Size









ELG_3129

Random

04

Finish

ENDLESS GLOSSY

Size











Random

03

Finish

MATT

Size











Random

03

Finish

MATT

Size










Random

03

Finish

MATT

Size










Random

03

Finish

MATT

Size












Random

03

Finish

MATT

Size










Random

04

Finish

MATT

Size












Random


04

Finish

MATT

Size










Random

04

Finish

MATT

Size









Random

04

Finish

MATT

Size











Random

04

Finish

MATT

Size










Random


04

Finish

MATT

Size











Random

04

Finish

MATT

Size









Random

04

Finish

MATT

Size









Random

04

Finish

MATT

Size










Random

03

Finish

MATT

Size












Random

03

Finish

MATT

Size










Random


03

Finish

MATT

Size










Random

03

Finish

MATT

Size










Random

03

Finish

MATT

Size












Random


03

Finish

MATT

Size










Random


03

Finish

MATT

Size










Random

04

Finish

MATT

Size












Random

04

Finish

MATT

Size









Random

04

Finish

MATT

Size










Random

04

Finish

MATT

Size











Random

04

Finish

MATT

Size









Random

04

Finish

MATT

Size










Random

04

Finish

MATT

Size












Random

04

Finish

MATT

Size










Random

04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random

04

Finish

MATT

Size












Random

04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random

04

Finish

MATT

Size











Random **03**

Finish

CARVING

Size











Random

04

Finish

CARVING

Size












Random


06

Finish

CARVING

Size











Random

06

Finish

CARVING

Size











Random

04

Finish

CARVING

Size












Random

04

Finish

CARVING

Size












Random

04

Finish

CARVING

Size












Random


04

Finish

CARVING

Size











Random


04

Finish

CARVING

Size











Random

04

Finish

CARVING

Size







TECHNICAL SPECIFICATIONS

S. No	Property	ISO 13006:2018 / EN 14411 Group Bla Requirement	Indian Standard IS 15622:2017 Group Bla Requirement	Kyros Craft Value (Matt)	Kyros Craft Value (Polished)	Test Method
	Dimensions & Surface Quality	whichever is less applicable. Rectified edge	Rectified edge			
1	Deviation in Length & Width	± 0.3% or ±1.0mm	± 0.1 %	± 0.1%	± 0.1%	ISO 10545-2 / IS 13630-1
2	Deviation in Thickness	± 5% or ± 0.5mm	± 5 %	± 4%	± 4%	ISO 10545-2 / IS 13630-1
3	Straightness of Sides	± 0.3% or ±0.8mm	± 0.1 %	± 0.1%	± 0.1%	ISO 10545-2 / IS 13630-1
4	Rectangularity	± 0.3% or ± 1.5mm	± 0.1 %	± 0.1%	± 0.1%	ISO 10545-2 / IS 13630-1
5	Surface Flatness	± 0.4% or ±1.8mm	± 0. 5 %	± 0.2%	± 0.2%	ISO 10545-2 / IS 13630-1
6	Surface Quality	Min 95% free from visible defects	Min 95% free from visible defects	>95% free from visible defects	>95% free from visible defects	ISO 10545-2 / IS 13630-1
	Physical Property					
7	Water Absorption	≤ 0.5% individual Max 0.6%.	Average ≤0.08%, Individual 0.1%, Max	≤ 0.05%	≤ 0.05%	ISO 10545-3 / IS 13630- 2
8	Modulus of Rupture	≥ 35 N/mm² Individual 32N/mm², Min	Average 35 N/mm² Individual 32N/mm², Min	≥ 38 N/mm²	≥ 38 N/mm²	ISO 10545-4 / IS 13630-6
9	Breaking Strength	700 N Min for thickness < 7.5 mm, 1300 Min for thickness ≥ 7.5 mm	700 N Min for thickness <7.5 mm, 1300 Min for thickness ≥7.5 mm	≥ 1500 N	≥1500 N	ISO 10545-4 / IS 13630-6
10	Moisture expansion	Report value	0.02 mm/m, Max	≤ 0.02 mm/m	≤ 0.02 mm/m	ISO 10545-10 / IS 13630-3
11	Scratch hardness of surface (Moh's scale)	-	5, Min	≥ 6 (Matt surface)	≥ 5 (Polished surface)	IS 13630 -13
12	Resistance to Surface Abrasion of Glazed Tiles for Floor Application	report abrasion class & Cycle passed	Class II , Min	PEI III-V	PEI II- III	ISO 10545-7 / IS 13630 -11
13	Coefficient of Linear Thermal Expansion	Report value	Max, 6 x 10 ⁻⁶ K ⁻¹	≤ 6 x 10 ⁻⁶ K ⁻¹	≤ 6 x 10 ⁻⁶ K ⁻¹	ISO 10545-8 / IS 13630-4
14	Thermal Shock Resistance	Report result	10 cycles Min	No Damage	No damage	ISO 10545-9 / IS 13630 -5
15	Crazing Resistance of Glazed Tiles	Report result	4 cycles @7.5 bar Min	No Damage	No Damage	ISO 10545-11 / IS 13630-9
16	Impact Resistance	Report value	0.55, Min	≥ 0.55	≥ 0.55	ISO 10545-5 / IS 13630-14
17	Coefficient of Friction	-	Manufacturer to declare	≥ 0.4	≥ 0.3	ANSI A 326.3
18	Frost Resistance	Report result	Required if requested by purchaser	No damage	No Damage	ISO 10545-12 / IS 13630-10
19	Bulk Density (g/cc)	-	2.2, Min	≥ 2.2	≥ 2.2	ASTM C373-16 / IS 13630-2
20	Color Resistance to UV light	Report result	-	No change in color	No change in color	DIN 51094
21	Chemical Property (cleansers except to cleansing agents containing Hydrofloric acids and its compounds)					
а	Resistance to Staining - Glazed Tiles	Min Class 3	Class I, Min	Class 3 (ISO) / Class 1(BIS)	Class 3 (ISO) / Class 1(BIS)	ISO 10545-14 / IS 13630-8
b	Resistance to Household Chemicals and Swimming Pool water cleansers - Glazed tiles	GB	AA Min	GA/AA	GA/AA	ISO 10545-13 / IS 13630-8
С	Resistance to acids and alkalis (glazed Tiles)	Report resistance class	Report resistance class	GA	GA	ISO 10545-13 / IS 13630 -8
22	Lead & Cadmium Release- for Glazed Tiles, where required	Report value	-	Nil	Nil	ISO 10545-15

^{*}ISO/IS technical specifications for Kyros tiles are applicable only for premium /1st Quality tile
Please inspect all tiles prior to installation, company will not entertain any complaints once tiles are laid / fixed

PACKING DETAILS

Product	Nominal Size (cm)	No of Tiles / Box	Approx Area / Box (sq m)	Approx Weight / Box (kgs)	Approx SQ.FT./ BOX
GVT60x120	60X120	2	1.44	26.5	15.5








BMK -3301

Random

04

Finish **GLOSSY**

Size









BMK-3302


Random

04

Finish

GLOSSY

Size











Random

03

Finish

ENDLESS GOLDEN GLOSSY

Size










Random

03

Finish

ENDLESS GOLDEN GLOSSY

Size









Random


04

Finish

ENDLESS GOLDEN GLOSSY

Size












Random

02

Finish

ENDLESS GOLDEN GLOSSY

Size










Random

02

Finish

ENDLESS GOLDEN GLOSSY

Size











Random

02

Finish

ENDLESS GOLDEN GLOSSY

Size









Random


02

Finish

GOLDEN GLOSSY

Size









PGL - 3501


Random

04

Finish

GLOSSY

Size










Random


04

Finish

GLOSSY

Size










Random


04

Finish

GLOSSY

Size










Random


04

Finish

GLOSSY

Size










Random

04

Finish

GLOSSY

Size










Random


04

Finish

GLOSSY

Size










Random


04

Finish

GLOSSY

Size










Random


04

Finish

GLOSSY

Size










Random


04

Finish

GLOSSY

Size










Random

04

Finish

GLOSSY

Size










Random


04

Finish

GLOSSY

Size









Random


04

Finish

GLOSSY

Size











Random

04

Finish **GLOSSY**

Size












Random

04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random

04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random

04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random


04

Finish

MATT

Size










Random


04

Finish

MATT

Size












Random


03

Finish

CARVING

Size







DCR - 2102


Random

03

Finish

CARVING

Size










Random


02

Finish

CARVING

Size












Random

03

Finish

CARVING

Size









Random

01

Finish

CARVING

Size










Random


03

Finish

CARVING

Size









Random


03

Finish

CARVING

Size












Random


03

Finish

CARVING

Size










Random


03

Finish

CARVING

Size









Random

01

Finish

CARVING

Size











WDN - 4101

Random

03

Finish

MATT

Size











Random

04

Finish

MATT

Size











Random

04

Finish

MATT

Size











Random

04

Finish

MATT

Size











Random

04

Finish

MATT

Size











Random

04

Finish

MATT

Size







TECHNICAL SPECIFICATIONS

S. No	Property	ISO 13006:2018 / EN 14411 Group Bla Requirement	Indian Standard IS 15622:2017 Group Bla Requirement	Value (Matt)	Value (Polished)	Test Method
	Dimensions & Surface Quality	whichever is less applicable. Rectified edge	Rectified edge			
1	Deviation in Length & Width	± 0.3% or ±1.0mm	± 0.1 %	± 0.1%	± 0.1%	ISO 10545-2 / IS 13630-1
2	Deviation in Thickness	± 5% or ± 0.5mm	± 5 %	± 4%	± 4%	ISO 10545-2 / IS 13630-1
3	Straightness of Sides	± 0.3% or ±0.8mm	± 0.1 %	± 0.1%	± 0.1%	ISO 10545-2 / IS 13630-1
4	Rectangularity	± 0.3% or ± 1.5mm	± 0.1 %	± 0.1%	± 0.1%	ISO 10545-2 / IS 13630-1
5	Surface Flatness	± 0.4% or ±1.8mm	± 0.5 %	± 0.2%	± 0.2%	ISO 10545-2 / IS 13630-1
6	Surface Quality	Min 95% free from visible defects	Min 95% free from visible defects	>95% free from visible defects	>95% free from visible defects	ISO 10545-2 / IS 13630-1
	Physical Property					
7	Water Absorption	≤ 0.5% individual Max 0.6%.	Average ≤0.08%, Individual 0.1%, Max	≤ 0.05%	≤ 0.05%	ISO 10545-3 / IS 13630- 2
8	Modulus of Rupture	≥ 35 N/mm² Individual 32N/mm², Min	Average 35 N/mm² Individual 32N/mm², Min	≥ 38 N/mm²	≥ 38 N/mm²	ISO 10545-4 / IS 13630-6
9	Breaking Strength	700 N Min for thickness < 7.5 mm, 1300 Min for thickness ≥ 7.5 mm	700 N Min for thickness <7.5 mm, 1300 Min for thickness_>7.5 mm	≥ 1500 N	≥ 1500 N	ISO 10545-4 / IS 13630-6
10	Moisture expansion	Report value	0.02 mm/m, Max	≤ 0.02 mm/m	≤ 0.02 mm/m	ISO 10545-10 / IS 13630-3
11	Scratch hardness of surface (Moh's scale)	-	5, Min	≥ 6 (Matt surface)	≥ 5 (Polished surface)	IS 13630 -13
12	Resistance to Surface Abrasion of Glazed Tiles for Floor Application	report abrasion class & Cycle passed	Class II , Min	PEI III-V	PEI II- III	ISO 10545-7 / IS 13630 -11
13	Coefficient of Linear Thermal Expansion	Report value	Max, 6 x 10 ⁻⁶ K ⁻¹	≤ 6 x 10 ⁻⁶ K ⁻¹	≤ 6 x 10 ⁻⁶ K ⁻¹	ISO 10545-8 / IS 13630-4
14	Thermal Shock Resistance	Report result	10 cycles Min	No Damage	No damage	ISO 10545-9 / IS 13630 -5
15	Crazing Resistance of Glazed Tiles	Report result	4 cycles @7.5 bar Min	No Damage	No Damage	ISO 10545-11 / IS 13630-9
16	Impact Resistance	Report value	0.55, Min	≥ 0.55	≥ 0.55	ISO 10545-5 / IS 13630-14
17	Coefficient of Friction	-	Manufacturer to declare	≥ 0.4	≥ 0.3	ANSI A 326.3
18	Frost Resistance	Report result	Required if requested by purchaser	No damage	No Damage	ISO 10545-12 / IS 13630-10
19	Bulk Density (g/cc)	-	2.2, Min	≥ 2.2	≥ 2.2	ASTM C373-16 / IS 13630-2
20	Color Resistance to UV light	Report result	-	No change in color	No change in color	DIN 51094
21	Chemical Property (cleansers except to cleansing agents containing Hydrofloric acids and its compounds)					
а	Resistance to Staining - Glazed Tiles	Min Class 3	Class I, Min	Class 3 (ISO) / Class 1(BIS)	Class 3 (ISO) / Class 1(BIS)	ISO 10545-14 / IS 13630-8
b	Resistance to Household Chemicals and Swimming Pool water cleansers - Glazed tiles	GB	AA Min	GA/AA	GA/AA	ISO 10545-13 / IS 13630-8
С	Resistance to acids and alkalis (glazed Tiles)	Report resistance class	Report resistance class	GA	GA	ISO 10545-13 / IS 13630 -8
22	Lead & Cadmium Release- for Glazed Tiles, where required	Report value	-	Nil	Nil	ISO 10545-15

Please inspect all tiles prior to installation, company will not entertain any complaints once tiles are laid / fixed

PACKING DETAILS

Product	Nominal Size (cm)	No of Tiles / Box	Approx Area / Box (sq m)	Approx Weight / Box (kgs)	
	60X120	2	1.44		



Kyros Ceramics Pvt Ltd

8-A, National Highway, Bandhunagar, Near Makansar, Morbi, Gujarat 363641 Customer care no.: +91 85111 19162